

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9	1692	(table log list) with address\$2 with active	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S10	68	S9 and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S11	2	"20030135620".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:55
S12	16122	(response reply confirmation) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:56
S13	91	(response reply confirmation) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:57
S14	2	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:56
S15	190	(response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:04
S16	2	S15 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:57

EAST Search History

S17	1784	(table log list) with address\$2 with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:22
S18	72	S17 and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:23
S19	3	S15 and S18	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:58
S20	329	log\$1out near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:21
S21	11913	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:39
S22	1784	(table log list) with address\$2 with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:22
S23	75	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:25
S24	248	"43" and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:23

EAST Search History

S25	3	S23 and active near3 inactive with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:24
S26	14	((log\$1out (log\$3 adj out)): quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) with fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:40
S27	0	n\$1port\$1id with lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:02
S28	0	n\$1port\$1id with logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:48
S29	880	logical with port near3 (id identifier address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:49
S30	13	logical near3 partition with port near3 (id identifier address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 16:49
S31	71	lpar with address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:02
S32	2	S21 and S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:03

EAST Search History

S33	37	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) same (active with inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 11:50
S34	14	S33 and (table log list) with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:15
S35	34	lpar near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:16
S36	11913	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:20
S37	1	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:16
S38	2	S35 and (table log list) with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:17
S39	123	(lpar (logical adj1 partition\$3)) near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:20
S40	5	S39 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:17

EAST Search History

S41	8	S39 and (table log list) with (active inactive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:18
S42	1	(lpar (logical adj1 partition\$3)) near3 network adj address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:20
S43	8	(US-20030135620-\$ or US-20020091786-\$).did. or (US-5522046-\$ or US-6910108-\$ or US-6807579-\$ or US-5467344-\$ or US-5564040-\$).did. or (US-20030217154-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/07/20 12:51
S44	3	S43 and (fibre fiber fabric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:52
S45	11	remov\$3 near3 lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:02
S46	15457	710/5;19;36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:20
S47	587	S46 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:03
S48	43	S47 and (response reply confirmation message) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:24

EAST Search History

S49	28	lpar same (fabric fiber fibre)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:20
S50	13040	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:31
S51	2	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:22
S52	532	S50 and (response reply confirmation message) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:23
S53	1	S47 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:14
S54	0	S47 and (response reply confirmation message) with identif\$8 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:24
S55	594	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:13
S56	392	S55 and address\$2 with (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:21

EAST Search History

S57	1	S56 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
S58	2	S56 and (response reply confirmation message) with address\$2 near3 remov\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
S59	6	S56 and (relinquish\$3 (giv\$3 adj up) cease release) near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:12
S60	136	S55 and address\$2 with (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:22
S61	9	S60 and (lpar logical adj partition)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:33
S62	261	address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (fibre fiber fabric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 08:54
S63	43	address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (fibre fiber fabric) same (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:08
S64	84	address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3) same (fibre fiber fabric) and address near3 (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:57

EAST Search History

S65	15477	710/5,19,36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:23
S66	8	S64 and S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:09
S67	3	S64 and (relinquish\$3 (giv\$3 adj up) cease release) near3 address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:12
S68	1	S64 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:58
S69	21	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:33
S70	1	S64 and S69	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:45
S71	7	S64 and fcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:45
S72	506	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with port\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:52

EAST Search History

S73	8	S72 and port\$3 near5 (lpar partition)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:52
S74	470	(logo) near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:55
S75	1	S64 and S74	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:57
S76	1	S74 and (response reply confirmation message) with address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:58
S77	1	S74 and address\$2 near3 removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:58
S78	11	S74 and address\$2 near3 (status active inactive enabl\$3 disabl\$3 allocat\$3 de\$1allocat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 09:59
S79	11	("20020133573" "20030189930" "20040093415" "20040093430" "4564903" "4843541" "5239577" "5564040" "5954796" "5963556" "6216162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/21 10:13
S80	0	("6807579").URPN.	USPAT	OR	ON	2005/07/21 10:20
S81	4	("6327621").URPN.	USPAT	OR	ON	2005/07/21 10:34

EAST Search History

S82	20	("4677588" "5237659" "5361256" "5430727" "5442630" "5463625" "5473608" "5475601" "5491693" "5596579" "5832229" "5835723" "5920560" "5959989" "6009467" "6046989" "6097720" "6101180" "6163810" "6181697").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/21 12:48
S83	0	partition with (un\$1register\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:49
S84	290	(un\$1register\$3)near3 (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:50
S85	22	(un\$1register\$3)near3 (command instruction request demand) with address\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:50
S86	0	(un\$1register\$3)near3 (command instruction request demand) with address\$2 same (partition lpar)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 12:50
S87	10	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:59
S88	107	address\$2 with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:40

EAST Search History

S89	1	address\$2 with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) same (lpar partition)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:41
S90	0	address\$2 with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) same (image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:42
S91	1	fabric with address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:43
S92	283	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:13
S93	9	(US-20030135620-\$ or US-20020091786-\$).did. or (US-5522046-\$ or US-6910108-\$ or US-6807579-\$ or US-5467344-\$ or US-5564040-\$ or US-6327621-\$).did. or (US-20030217154-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/07/21 15:43
S94	1	S92 and S93	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:43
S95	0	S92 with lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44

EAST Search History

S96	1	S92 and lpar	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44
S97	16	S92 and partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:07
S98	1	S92 same partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:44
S99	6	"5276813".pn. "5420988".pn. "6084859".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 15:50
S10 0	11	S92 and fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S10 1	1	S92 same fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:08
S10 2	18	S92 and fibre	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:10
S10 3	20	address with (acknowledg\$5 response respond\$3 reply\$3 confirms\$3 confirmat3) with removed same completed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:23

EAST Search History

S10 4	1	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with removed with completed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:16
S10 5	3161	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:24
S10 6	94	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:24
S10 7	1	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list) with remov\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:32
S10 8	9	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list) same remov\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:35
S10 9	9	address with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3) with match\$3 near3 (table log list) same complet\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:36
S11 0	21	"5684800".pn. "5734652".pn. "5884017".pn. "5917805".pn. "6035414".pn. "6084876".pn. "6131169".pn. "6138161".pn. "6148004".pn. "6195703".pn. "6327621".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:26
S11 1	4	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:03

EAST Search History

S11 2	8	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:03
S11 3	31	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach) with (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 16:56
S11 4	2	"5999974".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 5	121	gateway near4 assign near4 (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 6	93	gateway near3 assign near3 (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:05
S11 7	0	S116 same fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 8	0	S116 same fabre	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 9	0	S116 same (fibre fiber)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:03

EAST Search History

S12 0	0	S116 same partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:03
S12 1	1	S116 same logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:03
S12 2	1459055	gateway near3 assign near3 (ip address) (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:05
S12 3	6	gateway near3 assign near3 (ip address)with (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:12
S12 4	33	gateway near3 assign\$3 near3 (ip address)with (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:12
S12 5	27	S124 not S123	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:23
S12 6	0	S125 same partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:13
S12 7	0	S125 same logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:13

EAST Search History

S12 8	0	S125 same (fiber fibre fabric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:13
S12 9	15	reassign\$3 near5 others	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:23
S13 0	15	reassign\$3 near5 other	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:25
S13 1	950	(ip address\$2) with reassign\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:26
S13 2	173	S131 same table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:26
S13 3	11	S132 and partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:27
S13 4	48	S132 and (router gateway)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:27
S13 5	51	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) same (address near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:41

EAST Search History

S13 6	2	"6957276".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 21:25
S13 7	10	("5884024" "6009103" "6012088" "6052725" "6286039" "6393484" "6418129" "6496511" "6678732" "6684243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:13
S13 8	385	dynamic adj (allocation assign\$5) near4 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:14
S13 9	317894	S138 with partition logical virtual	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:14
S14 0	54	S138 with (partition logical virtual)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:17
S14 1	2	S140 and (table) near (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:28
S14 2	28	S140 and (table) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:16
S14 3	1	S140 same (reusable reassign\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:32
S14 4	4	"6807579".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 21:26
S14 5	11	("20020133573" "20030189930" "20040093415" "20040093430" "4564903" "4843541" "5239577" "5564040" "5954796" "5963556" "6216162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:27
S14 6	41	assignm\$5 with partition with (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31
S14 7	16	S146 and (table) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31

EAST Search History

S14 8	25	S146 not S147	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:06
S14 9	0	assignm\$5 with lpar with (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31
S15 0	229	assign\$5 with partition with (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:18
S15 1	114	S150 and (table) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:19
S15 2	9	S151 and (reusable reassign\$5) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:32
S15 3	105	S151 not S152	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:50
S15 4	11	"5684800".pn. "5734652".pn. "5884017".pn. "5917805".pn. "6035414".pn. "6084876".pn. "6131169".pn. "6138161".pn. "6148004".pn. "6195703".pn. "6327621".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:51
S15 5	30	osa adj adapter	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:09
S15 6	2	S150 and S155	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:09
S15 7	15	S155 and (request\$3 demand\$3) near5 (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:10
S15 8	16756	710/5,19,36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 23:06
S15 9	20	S150 and S158	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 23:06
S16 0	407	assign\$5 with partition with (ip address id identification)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:21

EAST Search History

S16 1	643	(assign\$5 allocat\$3) with partition with (ip address id identification)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:21
S16 2	342	S161 and (table list) near5 (ip address\$2 id identification)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:20
S16 3	417	assign\$5 with (lpar partition) with (ip address id identification)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:21
S16 4	665	(assign\$5 allocat\$3) with (lpar partition) with (ip address id identification)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:21
S16 5	1	S164 and (table list) near5 active with inactive	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:22
S16 6	13	S164 and (table list) same active with inactive	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:25
S16 7	33	S164 and (table list) same (active enabled allocated connected) with (inactive disabled de\$1allocated disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:38
S16 8	17523	710/5,19,36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 10:31
S16 9	49	S164 and S168	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 10:31
S17 0	3	(inactivat\$5 disabl\$3 de\$1allocat\$3 disconnect\$3) with (lpar partition) with (ip address id identification) with (table list)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/10 10:39